

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
(S29)	1	"6668271".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/13 14:10
(S30)	2	"6668271".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 10:23
S32	2777	709/223,224.ccls. and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 10:58
S31	15538	709/223,224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 10:58
(S34)	24	709/223,224.ccls. and (@ad<"19990519" @rlad<"19990519") and snmp near2 prox\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 11:00
S33	560	709/223,224.ccls. and (@ad<"19990519" @rlad<"19990519") and snmp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 11:00
(S37)	3	"6562076".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:23
(S35)	9	(blade adj server) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:23
(S39)	1	(blade same server) and proxy and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:26
S38	0	(blade same server) and snmp and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 13:26

S40	871	((hot adj swap\$9) hot-swap \$9) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 14:46
S42	59	((hot adj swap\$9) hot-swap \$9) same card and (plug near4 play) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 14:47
S41	134	((hot adj swap\$9) hot-swap \$9) and (plug near4 play) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 14:47
S43	41	((hot adj swap\$9) hot-swap \$9) same card and (plug near4 play) same card and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 14:48
S44	0	((hot adj swap\$9) hot-swap \$9) same card and (plug near4 play) same card and blade and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 14:56
S45	0	((hot adj swap\$9) hot-swap \$9) same card and (plug near4 play) same board and blade and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 14:59
S46	3	((hot adj swap\$9) hot-swap \$9) same card and (plug near4 play) same board and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 15:00
S47	0	((hot adj swap\$9) hot-swap \$9) same (blade) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 15:06
S48	78	(blade same server) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 15:07
S49	25	(blade same server) and computer and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 15:27
S49	61	(blade same server) not (food pie cake) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 15:27

S51	2	"7017188".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 15:29
S52	21	agent adj card same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:09
S53	0	agent adj card same server and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:10
S56	20	vmebus and (@ad<"19990519" @rlad<"19990519") and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:16
S55	292	vmebus and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:16
S54	534	vmebus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:16
S57	2270	((plug-and-play) (plug near2 play)) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:19
S58	8	((plug-and-play) (plug near2 play)) same (base adj unit) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:20
S59	5	((hot adj (swap\$9 connect \$6)) (hot-swap\$9 hot-connect \$6)) same (base adj unit) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:22
S60	15	((plug-and-play) (plug near2 play)) same instantiat\$4 and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:25
S61	10	vmebus same processor and (@ad<"19990519" @rlad<"19990519") and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:29

S64	81	plug\$9 with card same initial and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:32
S63	0	plug\$9 with card same intantiat\$4 and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:32
S62	0	plug with card same intantiat \$4 and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:32
S65	13	plug\$9 with card same initial with (config\$9 setup) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:33
S66	4	(auto-config\$9 (auto adj config\$9)) with (card board) same processor and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:36
S69	9	(auto-config\$9 (auto adj config\$9)) with server and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:37
S68	0	(auto-config\$9 (auto adj config\$9)) with server same processor and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:37
S67	0	(auto-config\$9 (auto adj config\$9)) with (card board) same server and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:37
S71	3	upnp same server and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:39
S70	28	upnp and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:39
S72	1	(hot adj (plug\$6)) same (base adj unit) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:41

(S73)	8	(auto-config\$9) with server and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:43
(S75)	6	(auto-config\$9) with card server and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:44
S74	0	(auto-config\$9) with card same server and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:44
(S77)	24	(automatic\$6 with config\$9) with card same server and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:46
S76	224	(automatic\$6 with config\$9) with card and server and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:46
S78	78	(rack-mount\$4 (rack adj mount\$4)) near4 server and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:50
(S80)	13	((rack-mount\$4 (rack adj mount\$4)) near4 server) same config\$9 and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:53
(S79)	17	((rack-mount\$4 (rack adj mount\$4)) near4 server) same processor and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:53
S82	0	(auto-detect\$6) with card same processor and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:58
(S81)	1	(auto-detect\$6) with card server and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:58
S83	0	(auto-detect\$6) with board same processor and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 16:59

IMG

(S84)	78	snmp\$4 near3 proxy and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/20 17:09
S85	52	snmp\$4 near3 proxy same agent and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/20 17:10
(S86)	18	snmp\$4 near3 proxy same agent same connect\$5 and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/20 17:11
S89	0	S87 and snmp	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/20 18:13
(S88)	1	S87 and proxy	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/20 18:13
S87	399	712/32.203.ccls. and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/20 18:13
(S91)	13	snmp adj trap same processor and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/20 18:15
S90	280	snmp adj trap and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/20 18:15
S93	436	ibm adj mainframe and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/20 18:21
S92	1038	ibm adj mainframe	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/20 18:21
(S94)	17	(ibm adj mainframe) and snmp\$4 and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/20 18:22
(S96)	22	snmp\$4 same (connect\$4 with (agent)) same config\$9 and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/20 18:24
S95	160	snmp\$4 same (connect\$4 with (agent)) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/20 18:24
(S98)	32	(blade with server) and (@ad<"19990519" @rlad<"19990519") not (food pie cake)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 16:47

S97	46	(blade with server) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 16:47
S101	197	S100 and agent	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 16:52
S100	280	snmp adj trap and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 16:52
(S104)	3	S102 and (mount\$4 with agent)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 16:53
(S103)	32	S102 and (connect\$4 with agent)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 16:53
S102	67	S100 and agent and 709/223,224.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 16:53
S109	68	configur\$9 with base near3 (unit station) and snmp\$4 and new and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 16:56
S108	68	configur\$9 with base near3 (unit station) and snmp\$4 and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 16:56
S107	0	configur\$9 with base near3 (unit station) same snmp\$4 and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 16:56
S105	4863	configur\$9 with base near3 (unit station) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 16:56
(S110)	4	configur\$9 with base near3 (unit station) same new and snmp\$4 and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 16:57
S112	61	configur\$9 with (agent) same new and snmp\$4 and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 16:58
S111	0	configur\$9 with base near3 (agent) same new and snmp \$4 and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 16:58
S114	4	S113 and instantia\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 17:05

(S113)	23	(US-20060064457-\$ or US-20060259949-\$ or US-20050033916-\$ or US-20070110255-\$).did. or (US-6668271-\$ or US-6562076-\$ or US-6622164-\$ or US-6085234-\$ or US-6611862-\$ or US-7017188-\$ or US-6421714-\$ or US-6085243-\$ or US-5678006-\$ or US-5175825-\$ or US-6839361-\$ or US-6141712-\$ or US-6208522-\$ or US-6426947-\$ or US-6008805-\$ or US-5909549-\$ or US-6360260-\$ or US-6665190-\$ or US-5675735-\$).did.	US-PGPUB; USPAT	OR	ON	2009/04/21 17:05
(S115)	1	S113 and (auto-config\$9)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 17:06
(S118)	2	(insert\$5 plug\$4) near4 card with base and snmp\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 17:24
S116	3087	(insert\$5 plug\$4) near4 card with base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 17:24
S120	0	(insert\$5 plug\$4) near4 device with base and snmp\$4 and (@ad<"19990519" @rld<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 17:25
(S119)	8	(insert\$5 plug\$4) near4 device with base and snmp\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 17:25
(S121)	34	(detect\$4 discover\$5) with device with base and snmp\$4 and (@ad<"19990519" @rld<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/21 17:26
(S123)	31	((hot adj swap\$9) hot-swap \$9) adj drive and (@ad<"19990519" @rld<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 17:47
S122	212	((hot adj swap\$9) hot-swap \$9) same drive and (@ad<"19990519" @rld<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 17:47
(S124)	8	((hot adj swap\$9) hot-swap \$9) adj server and (@ad<"19990519" @rld<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 17:48



S125	0	((hot adj swap\$9) hot-swap \$9) adj (agent sub-agent) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 17:50
S126	42	snmp adj (agent sub-agent) with card and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 17:55
S127	9336	request\$5 with server with network and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 18:22
S132	2	request\$5 with server with network with calendar and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 18:23
S131	0	request\$5 with server with network with phone adj book and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 18:23
S130	0	request\$5 with server with network with phonebook and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 18:23
S129	663	request\$5 with server with network with database and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 18:23
S128	1743	request\$5 with server with network with service and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/21 18:23
S133	1884	http adj server and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 18:05
S135	5	(http adj server) with (receiv \$4 near4 request\$4) same SNMP and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 18:06
S134	234	(http adj server) with (receiv \$4 near4 request\$4) and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 18:06

S136	5	(http adj server) with (receiv \$4 near4 request\$4) same SNMP and (http same snmp) and (@ad<"19990519" @rld<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 18:11
(S138)	5	S137 and xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/22 18:18
(S137)	28	(US-20060064457-\$ or US-20060259949-\$ or US-20050033916-\$ or US-20070110255-\$).did. or (US-6668271-\$ or US-6562076-\$ or US-6622164-\$ or US-6085234-\$ or US-6611862-\$ or US-7017188-\$ or US-6421714-\$ or US-6085243-\$ or US-5678006-\$ or US-5175825-\$ or US-6839361-\$ or US-6141712-\$ or US-6208522-\$ or US-6426947-\$ or US-6008805-\$ or US-5909549-\$ or US-6360260-\$ or US-6665190-\$ or US-5675735-\$ or US-6502134-\$ or US-6003068-\$ or US-6539027-\$ or US-5715370-\$ or US-5901286-\$).did.	US-PGPUB; USPAT	OR	ON	2009/04/22 18:18
(S139)	6	stor\$6 with state with xml and (@ad<"19990519" @rld<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/22 18:19
(S140)	4	sav\$6 with state with xml and (@ad<"19990519" @rld<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/22 18:21
(S141)	6	tagset and (@ad<"19990519" @rld<"19990519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 18:28
(S144)	4	ricoh.as. and agent adj card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 18:30
S143	15493	ricoh.as. and agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 18:30
S142	275525	ricoh.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 18:30

S145	148	ricoh.as. and wolff.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 18:31
(S148)	36	ricoh.as. and wolff.in. and network and card	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 18:32
(S147)	11	ricoh.as. and wolff.in. and network and agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 18:32
S146	79	ricoh.as. and wolff.in. and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/22 18:32
(S149)	12	("5546598"   "5806005"   "5995756"   "6017157"   "6035323"   "6058428"   "6085195"   "6097389"   "6121970"   "6167469"   "6223190"   "6243102").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/22 18:34
(S152)	5	S137 and file with (attribut\$4 propert\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/22 18:41
(S151)	1	S137 and file adj (attribut\$4 propert\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2009/04/22 18:41
(S155)	1	eject\$4 with card same snmp and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/23 13:59
(S154)	3	eject\$4 with agent near4 card and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/23 13:59
S153	3129	eject\$4 with card and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/23 13:59
(S156)	5	removable with card same snmp and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/23 14:00
S159	438	eject\$4 near4 card same writ \$5 and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/23 14:01
S158	0	eject\$4 with removable near4 card same writ\$5 and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/23 14:01
S157	32	eject\$4 with removable near4 card and (@ad<"19990519" @rlad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/23 14:01

S161	49	eject\$4 near4 card same (writ \$5 with (state status)) and (@ad<"19990519" @riad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/23 14:02
S160	564	card same writ\$5 same eject \$5 and (@ad<"19990519" @riad<"19990519")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/23 14:02
(S163)	21	((eject\$4 with card) same ((writ\$5 stor\$4) near4 (state status)) and (@ad<"19990519" @riad<"19990519"))	US-PGPUB; USPAT	OR	ON	2009/04/23 15:16
S162	33	((eject\$4 with card) same ((writ\$5 stor\$4) near4 (state status)) and (@ad<"19990519" @riad<"19990519"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2009/04/23 15:16
(S164)	1	((eject\$4 with card) same ((sav \$5) near4 (state status)) and (@ad<"19990519" @riad<"19990519"))	US-PGPUB; USPAT	OR	ON	2009/04/23 15:18
(S166)	36	709/223,224.ccls. and (@ad<"19990519" @riad<"19990519") and @pd>"20081021"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:53
(S165)	27	709/217,202.ccls. and (@ad<"19990519" @riad<"19990519") and @pd>"20081021"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:53
(S167)	7	(S165 S166) and snmp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:54
(S168)	17	(S165 S166) and agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/23 15:56

4/ 23/ 09 4:45:47 PM

C:\Documents and Settings\mmeucci\My Documents\EAST\Workspaces\mdm wolff-10697606.wsp